

Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) EP 0 971 474 A1

(12)

## EUROPEAN PATENT APPLICATION

(43) Date of publication:  
12.01.2000 Bulletin 2000/02

(51) Int Cl.7: H02K 5/24, H02K 5/22,  
H02K 7/065, G08B 6/00

(21) Application number: 99305391.7

(22) Date of filing: 07.07.1999

(84) Designated Contracting States:  
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE  
Designated Extension States:  
AL LT LV MK RO SI

(72) Inventors:  
• Pupklewicz, Edward J.  
Norristown, Pennsylvania (US)  
• Wozniak, Bohdan P.  
Warrington, Pennsylvania (US)

(30) Priority: 10.07.1998 US 113884


(74) Representative: Howick, Nicholas Keith  
CARPMAELS & RANSFORD  
43 Bloomsbury Square  
London WC1A 2RA (GB)

(71) Applicant: Thomas & Betts International, Inc.  
Sparks, Nevada 89431 (US)

### (54) Motor boot for a circuit board


(57) The present invention provides a motor boot for mechanically and electrically connecting a motor to a circuit board and includes a vibrational damping housing constructed of elastomeric material. The housing has a slot formed therein and a receptacle for slidably receiving and releasably securing the motor therein by interference fit. The receptacle includes a cut-out in fluid flow communication with the slot for receiving the electrical pad of the motor. A vibrational damping connector dis-






posed in the slot and contacts the pad of the motor thereby creating electrical communication between the motor and circuit board. The connector is constructed of an electrically conductive elastomeric material, absorbs mechanical energy of the motor, transfers electrical energy of the motor to the circuit board. The connector is integrally formed with the housing thereby making the motor boot of one piece construction or is slidably received and releasably secured within the slot by interference fit.



EP 0 971 474 A1

- munication between the motor and circuit board.
2. The motor boot of claim 1 wherein the connector is constructed of an electrically conductive elastomeric material.
  3. A motor boot as claimed in claim 1 or claim 2 wherein the housing is a vibrational damping housing.
  4. The motor boot of any one of claims 1 to 3 wherein both the housing and connector are constructed of an elastomeric material for damping vibration of the motor.
  5. The motor boot of any one of claims 1 to 4 wherein the connector is disposed in the housing via use of an adhesive.
  6. The motor boot of any one of claims 1 to 5 wherein the motor boot is connected to the circuit board by compression force being applied to the housing such that the connector abuts the contact.
  7. The motor boot of any one of claims 1 to 6 further including a slot disposed in the housing.
  8. A motor boot for mechanically and electrically connecting a motor to a circuit board having an electrical contact and the motor having an electrical pad and a nob disposed thereon, the motor boot comprising:
    - a vibrational damping housing constructed of elastomeric material, U-shaped, and including a first support leg with a slot disposed therein, a second support leg spaced apart from the first support leg, and a base integrally formed with the first and second support legs;
    - a substantially cylindrical receptacle formed in the housing for slidably receiving and releasably securing the motor therein by interference fit, the receptacle including a cut-out in fluid flow communication with the slot for receiving the electrical pad of the motor therein, and a port for receiving the nob of the motor therein;
    - a vibrational damping connector disposed in the slot and contacting the electrical pad of the motor and the contact when the motor boot is connected to the circuit board, thereby creating electrical communication between the motor and circuit board, the connector being constructed of an electrically conductive elastomeric material; and
    - wherein the motor boot is connected to the circuit board by compression force being applied to the housing such that the connector abuts the contact.
  9. The motor boot of claim 7 or claim 8 wherein the connector is slidably received and releasably secured within the slot by interference fit.
  10. The motor boot of any one of claims 1 to 9 wherein the connector is integrally formed with the housing thereby making the motor boot of one piece construction.







European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 99 30 5391

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Y	US 5 657 205 A (TAMARU TOSHIYUKI ET AL) 12 August 1997 (1997-08-12) * column 2, line 42 - column 2, line 58 * * figure 8 *	1,3,8,10	H02K5/24 H02K5/22 H02K7/065 G08B6/00
Y	EP 0 817 551 A (MOLEX INC) 7 January 1998 (1998-01-07) * column 3, line 22 - column 3, line 56 * * figure 1 *	1,3,8,10	
X,P	US 5 898 248 A (NISHIKAWA KENICHI ET AL) 27 April 1999 (1999-04-27) * figure 5 *	1,8	
X,P	US 5 898 364 A (GOTOU SEIICHIROU) 27 April 1999 (1999-04-27) * abstract *	1,8	
A	US 5 769 382 A (MORI TATSUYA ET AL) 23 June 1998 (1998-06-23)		
A	PATENT ABSTRACTS OF JAPAN vol. 1998, no. 08, 30 June 1998 (1998-06-30) & JP 10 084649 A (OPTEC DAI ICHI DENKO CO LTD), 31 March 1998 (1998-03-31)		
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			H02K G08B H05K
Place of search		Date of completion of the search	Examiner
THE HAGUE		26 October 1999	Ramos, H
CATEGORY OF CITED DOCUMENTS			
<p>X : particularly relevant if taken alone  Y : particularly relevant if combined with another document of the same category  A : technological background  O : non-written disclosure  P : intermediate document</p>			
<p>T : theory or principle underlying the invention  E : earlier patent document, but published on, or after the filing date  D : document cited in the application  L : document cited for other reasons  &amp; : member of the same patent family, corresponding document</p>			

4-PO (Unif. 1503 03 82) (Pat201)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 30 5391

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

26-10-1999

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5657205 A	12-08-1997	JP 2568050 B	25-12-1996
		JP 8051286 A	20-02-1996
		AU 697830 B	15-10-1998
		AU 2840995 A	22-02-1996
		CN 1123965 A,B	05-06-1996
		GB 2292202 A,B	14-02-1996
EP 0817551 A	07-01-1998	US 5749737 A	12-05-1998
US 5898248 A	27-04-1999	JP 10108399 A	24-04-1998
		CN 1186370 A	01-07-1998
US 5898364 A	27-04-1999	JP 2880963 B	12-04-1999
		JP 10066291 A	06-03-1998
US 5769382 A	23-06-1998	JP 2731732 B	25-03-1998
		JP 8140298 A	31-05-1996
		CN 1132955 A,B	09-10-1996
		GB 2295056 A,B	15-05-1996
JP 10084649 A	31-03-1998	NONE	

EPO FORM 10659

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82